

Smart Digital Thermostat

- LCD Touch Screen Wifi Electric Underfloor Heating Thermostat
- Power Supply: 95 ~ 240 VAC, 50 ~ 60Hz
- Current Load: 16A (electric heating)
- Power consumption: < 1.5W
- Built-in battery: Lithium Cell CR1220 3V
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11b/g/n
- Working environment temperature: -5 ~ 45°C
- Display temperature range: 5 ~ 99°C
- Time: 12/24h switchable (24h default)
- Shell Material: PC +ABS (Fireproof)
- Protection class: IP20
- Size: 86x86mm square, display ϕ 60mm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Far Infrared Electric Floor Heating

- Power supply: 220V / 230VAC
- IP Grade: IP54
- Compression strength: 2750V
- Tensile strength: 0.15mp/cm2
- Insulation grade: B1
- Ambient temperature: -40~+90Centigrade
- Radiance: 75%~85%
- Oxygen index: >31%
- Thickness: 0.25mm
- Wavelength of radiation:8~15 μ m
- The Max breakdown voltage; 10,000V
- Melting Temperature: 110Centigrade
- Flame retardant rating: UL94VO
- Infrared energy: 756.9K/Square meter
- Adhesive strength: 8.0kg/cm2
- The max surface temperature: 73Centigrade



Smart Curtain Motor

- Curtain rail blind, can install on ceiling or wall
- Rated voltage: AC 100V-240V / 50-60Hz
- Max Load: 80kg
- Speed:16cm/s
- Noise level:less than 35DB
- Degree:Accpetable 90/135 degree
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.1 1b/g/n
- Remote Control: Support on / off / timing
- Size: 65 x 50 x 275mm
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant





remote



Smart Rolling Blind

- Rolling Blind, can install on ceiling or wall
- Rated voltage: AC 220V-240V / 50Hz
- Max Load: 24kg
- Speed:17r/min
- Noise level:less than 35DB
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.1 1b/g/n
- Remote Control: Support on / off / timing
- Mobile App: Newest Living (IOS, Android)
- Support Amazon Alexa, Google Assistant



Easy automatic lifting

Technology changes life, choice is enjoyment.