



Newest Living

Product Catalogue

Smart Automation System

Automation Security Personalized
Smart Control



RGB Light Strip



RGB LED Spot Light



RGB Light Bulb




Dimmer Switch



Smart Switch



Smart Socket



Gate / Curtain Control



Motion Detector



Door / Window Sensor



Newest Living

Smart Phone Control



Smart Energy Plug



Temperature Control



Smart Floor Heating



CCTV Control



Smart Doorbell



Zigbee Gateway



Smoke / Gas Detector



Home Appliances



Air-Condition Control



Smart Remote



Smart Diffuser




Smart WiFi Socket

- WiFi Wall Socket
- Rated voltage: AC110-260V (50/60Hz)
- Max Load: 13A
- Max. Power: 3000W
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Remote Control: Support on / off / timing
- Size: 86(W) x 32(D) x 86(H)mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, RoHS



Smart Power Strip

- Multiple Power Socket with USB
- Remote Control Energy Monitor Works
- Rated voltage: AC 100-260V / 50-60Hz
- Max Load: 13A
- Max Power: 3120W
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11b/g/n
- Remote Control: Support on / off / timing
- Size: 340(W) x 62(D) x 32(H)mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, RoHS



Smart WiFi RGB Plug

- WiFi Smart Socket Power Plug
- Remote Control Energy Monitor Works
- Rated voltage: AC 100V-240V / 50-60Hz
- Max Load: 10A
- Max. Power: 2200W
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Remote Control: Support on / off / timing
- Size: 60(Ø) x 80(H)mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FCC, RoHS



Smart Switches

- Power supply mode: Neutral + Live Wire
- Rated Voltage: AC110-240V (50/60Hz)
- Max. Power: 800W (Resistance loading)
- Working Current: Max 10A
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.1 1b/g/n
- Remote Control: Support on / off / timing
- Material: ABS Flame retardant + Glass
- Size: 86 x 86 x 32mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FCC, RoHS

2 gang




3 gang




Dimmer



Curtain



1 gang



Smart Remote Control

- Control: IR/RF Remote
- Infrared frequency: 38KHZ
- RF frequency: 433.92/430/418/330/315/310/390MHz
- IR range: 15m infrared control distance
- RF range: 100m RF distance
- Input: 5V/1A
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11b/g/n
- Size: 80 x 90 x 26.5mm
- Certificate: CE




Smart RGB Bulb

- WiFi RGB Bulb (E27 Connector)
- Control: Support on/off/schedule/dimming
- 16 million colors optional, 2700-6400K
- Input: 110-240V 50Hz
- CTT: RGB+CW
- Electric Power: 9W, max 800LM
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Material: PC+Aluminium
- Size: 60(Ø) x 110(L)mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FC, RoHS



Smart RGB Bulb

- WiFi RGB Bulb (E14 Connector)
- Control: Support on/off/schedule/dimming
- 16 million colors optional, 2700-6400K
- Input: 110-240V 50Hz
- CTT: RGB+CW
- Electric Power: 6W, max 400LM
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Material: PC+Aluminium
- Size: 38(Ø) x 110(L)mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FC, RoHS




Smart RGB Spot Light

- WiFi Smart RGB Spot Light (GU10)
- Control: Support on/off/schedule/dimming
- 16 million colors optional, 2700-6400K
- Input: 110-240V 50Hz
- CTT: RGB+CW
- Electric Power: 5W, max 300LM
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11b/g/n
- Material: PC+Aluminium
- Size: 50(Ø) x 55(L)mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FC, RoHS



Smart RGB LED Strip

- Control: Support on/off/schedule/dimming
- 16 million colors optional, 2700-6400K
- Input Voltage: DC12V/2A
- CTT: RGBW
- Lamp Power: 4.8W/M
- Lamp Luminous Flux: 22-24lm/LED
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Size: 5M
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FCC, RoHS



Smart Digital Thermostat

- LCD Touch Screen Wifi Electric Underfloor Heating Thermostat
- Power Supply: 95 ~ 240 VAC, 50 ~ 60Hz
- Current Load: 16A (electric heating)
- Power Consumption: <1.5W
- Built-in battery: Lithium Cell CR1220 3V
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Working environment temperature: -5 ~ 45°C
- Display temperature range: 5 ~ 99°C
- Time: 12/24h switchable (24h default)
- Shell Material: PC +ABS (Fireproof)
- Protection class: IP20
- Size: 86x86mm square, display $\phi 60$ mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Far Infrared Electric Floor Heating

- Power supply: 220V / 230VAC
- IP Grade: IP54
- Compression strength: 2750V
- Tensile strength: 0.15mp/cm2
- Insulation grade: B1
- Ambient temperature: -40~+90Centigrade
- Radiance: 75%~85%
- Oxygen index: >31%
- Thickness: 0.25mm
- Wavelength of radiation: 8~15 μ m
- The Max breakdown voltage; 10,000V
- Melting Temperature: 110Centigrade
- Flame retardant rating: UL94VO
- Infrared energy: 756.9K/Square meter
- Adhesive strength: 8.0kg/cm2
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri




Smart Curtain Motor

- Curtain rail blind, can install on ceiling or wall
- Rated voltage: AC 100V-240V / 50-60Hz
- Max Load: 80kg
- Speed: 16cm/s
- Noise level: less than 35DB
- Degree: Acceptable 90/135 degree
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Remote Control: Support on / off / timing
- Size: 65 x 50 x 275mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart Rolling Blind

- Rolling Blind, can install on ceiling or wall
- Rated voltage: AC 220V-240V / 50Hz
- Max Load: 24kg
- Speed: 17r/min
- Noise level: less than 35DB
- Wireless Type: 2.4 GHz
- Protocol: IEEE 802.11 b/g/n
- Remote Control: Support on / off / timing
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Easy automatic lifting
Technology changes life, choice is enjoyment.

Smart WiFi Cam

- Main Functions: Motion Detection, Infrared night vision, Photo/Video recording
- Power: DC 5V 1.5A
- Resolution: 1080P
- TF Card Slot: Supports Max with 128GB Storage
- Wireless Type: 2.4GHz
- Protocol: IEEE 802.11 b/g/n
- Infrared Light: IR distance 5 Meters
- Operating Temperature: 0°C~55°C
- Operating Humidity: 20%~85%
- Storage Temperature: 0°C~60°C
- Storage Humidity: 0%~90%
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri




Smart Zigbee Siren

- Battery: CR123A 3.0Vx2
- USB port: 5V/1A
- Sound intensity: 90db
- Standard current: 61uA - 180uA
- Detection temperature: -10 C ~ 80 C
- Detection humidity: 0% - 100%
- Wireless Type: 2.4 GHz
- Communication protocol: Zigbee 3.0
- Wireless range: 40M
- Size: Ø68 x 32mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



SECURITY



Smart Wired Zigbee Gateway

- Input: 5V/1A
- Wireless Type: 2.4 GHz
- Communication protocol: Zigbee 3.0
- Wireless range: 250M
- Wireless standard: WiFi 802.11b/g/n
- Protocol: Zigbee 802.15.4
- Size: Ø90 x 23.5mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart Wireless Zigbee Gateway

- Input: 5V/1A
- Wireless Type: 2.4 GHz
- Communication protocol: Zigbee 3.0
- Wireless range: 250M
- Wireless standard: WiFi 802.11b/g/n
- Protocol: Zigbee 802.15.4
- Size: 60 x 60 x 16mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Small Size

Mini shape, stylish craft,
can be any match with the family style




Smart WiFi Motion Sensor

- Motion detection, PIR detect people or animals that are moving
- Battery: AAA1.5V x 3
- Standby current: 20uA
- Standard Mode: 5 months (15 times/day)
- Sensitive distance: 5M
- Sensitive angle: 120°
- Workless type: 2.4GHz
- Protocol: IEEE 802.11b/g/n
- Wireless Range: 45 meters
- Operating Temperature: 0°C~40°C
- Operating Humidity: 20%~85%
- Size: 65W x 65D x 30Hmm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart Zigbee Motion Sensor

- Battery: CR123A 3.0V
- Working current: < 25mA
- Detection range: 8M
- Detection angle: 90 degree
- Wireless Type: 2.4 GHz
- Communication protocol: Zigbee 3.0
- Wireless range: 50M
- Size: Ø48 x 53.2mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart WiFi Door/Window Sensor

- Detect open/close status of the door/window
- Battery: CR2 3V Lithium
- Standby current: 13uA
- Working life: 1 years (14times/day); 2 years(7 times/day)
- Workless type: 2.4GHz
- Protocol: IEEE 802.1 1b/g/n
- Wireless Range: 45 meters
- Main body Size: 71W x 21D x 22Hmm
- Deputy body size: 40W x 11D x 11Hmm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart Zigbee Door/Window Sensor

- Battery: CR123A, 3V
- USB power supply: 5V/1A
- Standby current: 10.7uA
- Wireless Type: 2.4 GHz
- Communication protocol: Zigbee 3.0
- Wireless range: 55M
- Size: 82x27x23mm, 50x13x16mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart WiFi Gas Detector

- Input: DC5V
- Operating current: <150mA
- Alarming time: <30 second
- Air pressure: 86-106Kpa
- Operation temperature: 0°C ~ 55°C
- Operation humidity: 0% - 80%
- Wireless Type: 2.4 GHz
- Size: Ø96 x 33mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart Zigbee Temperature and Humidity Sensor

- Battery: AAA x 2
- Detection temperature: $-10^{\circ}\text{C} \sim 55^{\circ}\text{C}$
- Detection humidity: 0% - 95%
- Wireless Type: 2.4 GHz
- Communication protocol: Zigbee 3.0
- Wireless range: 50M
- Size: $\varnothing 61 \times 23\text{mm}$
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri



Smart Humidifier

- Working Voltage: AC100-220V (50/60Hz)
- Product Power: 30W
- Product Noise: <35DB
- Product Weight: 2.05kg
- Mist Capacity: 250m/h
- Tank Capacity: 4L
- Size: 242W x 160D x 287Hmm
- Wireless Protocol: WiFi 2.4GHz
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE



Smart Diffuser

- Control: Support on / off / schedule / spray
- 16 million colors optional, 2700-6400K
- Working Voltage: AC110-240V (50/60Hz)
- Working Current: DC 24V 500MA-650MA
- Electric Power: 7-9W
- Product Noise: <35DB
- Product Weight: 0.35kg
- Volume: 500ml
- Wireless Protocol: WiFi 2.4GHz
- Size: Ø160 x 115mm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, RoHS



Smart Air Purifier

Standing Type

- Working Voltage: AC100-220V (50Hz)
- Product Power: 68W
- Product Noise: 25-50DB
- Product Weight: 7.05kg
- CADR Value: 513 cubic meter
- CCM Value of Particulate Matter: P4
- Usable Area: 40-60 square meter
- Air Volume: 810m³/Hour
- Product Filter: 3 Layers HEPA Filter
- Function: UV sterilization, Negative ion, Mist
- Size: 320W x 320D x 660Hmm
- Wireless Protocol: WiFi 2.4GHz
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE



Smart Air Purifier

Tabletop Type

- Working Voltage: DC24V
- Product Power: 28W
- Product Noise: 35-55DB
- Product Weight: 3.5kg
- CADR Value: 250 cubic meter
- CCM Value of Particulate Matter: P4
- Usable Area: 20-40 square meter
- Product Filter: HEPA Layer
- Function: UV sterilization, Negative ion
- Size: 215W x 215D x 350Hmm
- Wireless Protocol: WiFi 2.4GHz
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE



Smart Dehumidifier

- Control: Support on / off / schedule
- Working Voltage: AC220-240V (50Hz)
- Power Consumption: 2.2A
- Electric Power: 350W
- Humidity Adjustable Range: 30%-80%
- Dehumidification: 12L/Day
- Water Tank: 6L
- Time Range: 1-12 Hours
- Materials: ABS
- Weight: 15kg
- Function: Negative ion, Child Lock
- Wireless Protocol: WiFi 2.4GHz
- Size: 340W x 240D x 570Hmm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, RoHS



Smart Tower Bladeless Fan

- Control: Support on / off / schedule / swing / UVC
- Working Voltage: AC220-240V (50Hz)
- Electric Power: 28W
- Swing Range: 80°
- Time Range: 1-8 Hours
- Materials: ABS plastic
- Weight: 4.4kg
- Function: UV sterilization, LED Touch Display
- Wireless Protocol: WiFi 2.4GHz
- Size: Ø230 x 960Hmm
- Mobile App: Newest Living (IOS, Android)
- Support: Apple Watch, Siri
- Certificate: CE, FCC





Newest Living



App Store



Google Play

Tel +852 2865 6268

E-mail: info@newestliving.net

<http://www.newestliving.net>